HENRY M. HIRATA
DIRECTOR

# COUNTY OF SAN JOAQUIN
## DEPARTMENT OF PUBLIC WORKS

P.O. BOX 1810 - 1810 E. HAZELTON AVENUE
STOCKTON, CALIFORNIA 95201
(209) 468-3000

# ENCROACHMENT PERMIT

E.P. No. 97-252-LV

7-22-97
(Date Issued)

8-1-97
(Expiration Date)

11005
(Job No.)

To: Levine-Fricke-Recon Inc. (SDCDs)
1900 Powell St., 12th Floor
Emeryville, CA 94608-1827

Encroachment type: Soil Borings

Location: Benjamin Holt Dr. e/o Gettysburg Pl.

In compliance with your request of 7-22, 19 97, permission is her by granted to do work in County right of way as shown on attached application and subject to all the terms, conditions and restrictions written below or printed as general or special provisions on any part of this form. See reverse side and attached sheet, if any.

Trench excavations for service connections will not be permitted within ten feet (10') of pavement centerline unless otherwise approved by the Director. Surface of trench patches shall match in kind and be smooth and even with that of abutting surface. Special attention shall be given to depth of utilities through roadside area in anticipation of future drainage facilities, road profile and/or frontage development. All underground utility facilities are to be established and accurately dimensioned on sketches from surveyed centerline of road right of way, not from right of way (border) lines.

The Department of Public Works, Field Inspection Section shall receive a notice at least forty-eight (48) hours prior to beginning any work within the County right of way. All work performed under this permit shall conform to the rules and regulations pertaining to safety established by the California Division of Industrial Safety and Cal-OSHA.

The jobsite shall be kept in a safe condition at all times by the daily removal of any excess dirt or debris which might be a hazard to either pedestrian or automobile traffic. All necessary traffic convenience and warning devices and personnel shall be provided, placed and maintained by and at the sole expense of the Permittee in accordance with the latest edition of the CALTRANS Manual of Traffic Control.

After completion of the work permitted herein, all debris, lumber, barricades, or any excess material shall be removed and the jobsite left in a neat workmanlike manner. Immediately following completion of construction permitted herein, Permittee shall fill out and mail notice of completion provided by Grantor.

Est. Permit Fee: $240.00

FORMS: SS/WW,R-29

HENRY M. HIRATA, Director
Department of Public Works

By T R
Permit Section

WHITE - Permittee
GOLDENROD - PWD Central File
YELLOW - Field Inspection
PINK - Permit Section

PW 27

## GENERAL PROVISIONS

1. This permit is issued under and subject to all laws and ordinances of agencies governing the encroachment herein permitted. See the following references:

STREETS AND HIGHWAYS CODE

1. Division 1, Chapter 3
2. Division 2, Chapter 2, Section 942
3. Division 2, Chapter 4, Section 1126
4. Division 2, Chapter 6

SAN JOAQUIN COUNTY ORDINANCES NUMBERED: 324, 441, 648, 662, 672, 695, 700, 860 and 892.

2. It is understood and agreed by the Permittee that the doing of any work under this permit shall constitute an acceptance of all the provisions contained herein and failure on the permittee's part to comply with any provision will be cause for revocation of this permit. Except as otherwise provided for public agencies and franchise holders, this permit is revocable on five days' notice.

3. All work shall be done subject to the supervision of and to the satisfaction of the grantor. The Permittee shall at all times during the progress of the work keep the County Highway in as neat and clean a condition as is possible and upon completion of the work granted herein, shall leave the County Highway in a thoroughly neat, clean and usable condition.

4. The Permittee agrees by the acceptance of this permit to properly maintain any encroachment structure placed by the Permittee on any part of the County Highway and to immediately repair any injury to any portion of the highway, which occurs as a result of the maintenance of the said encroachment structure, until such time as the Permittee may be relieved of the responsibility of such maintenance of the encroachment structure by the County Department of Public Works.

5. The Permittee also agrees by the acceptance of this permit to make, at its own expense, such repairs as may be deemed necessary by the County Director of Public Works or his representative.

6. It is further agreed by the Permittee that whenever construction, reconstruction or maintenance work upon the highway may require, the installation provided for herein shall, upon request of the County Department of Public Works, be immediately moved by and at the sole expense of the Permittee.

7. No material used for fill or backfill in the construction of the encroachment shall be borrowed or taken from within the County right of way.

8. All work shall be planned and carried out so that there will be as little inconvenience as possible to the traveling public. No material shall be stacked within eight feet (8') of the edge of the pavement or traveled way unless otherwise provided herein. Adequate provision shall be made for the protection of the traveling public. Barricades shall be placed, with approved signs and lights at night, and flagmen shall be employed, all as may be required by the particular work in progress.

9. The Permittee, by the acceptance of this permit, shall assume full responsibility for all liability for personal injury or damage to property which may arise out of the work herein permitted or which may arise out of the failure of the part of the Permittee to do the work provided for under this permit. In the event any claim of such liability is made against the County of San Joaquin or any department, official or employee thereof, the Permittee shall defend, indemnify, and hold them and each of them harmless for such claim.

10. All backfill material is to be moistened as necessary and thoroughly compacted with mechanical means. If required by the County Director of Public Works, such backfill shall consist of gravel or crushed rock. The Permittee shall maintain the surface over structures placed hereunder as may be necessary to insure the return of the roadway to a completely stable condition and until relieved of such responsibility by the County Department of Public Works. Wherever a gravel, crushed rock or asphalt surfacing is cut or damaged in the work of placing an encroachment structure, such material shall either be separately stored and replaced in the roadway as nearly as possible in its original state or shall be replaced in kind, and the roadway shall be left in at least as good a condition as it was before the commencement of operations of placing the encroachment structure.

11. Whenever necessary to secure permission from abutting property owners, such abuthority must be secured by the Permittee prior to starting work.

12. The future safety and convenience of the traveling public shall be given every consideration in the location and type of construction.

# FOR ENCROACHMENT PERMIT

PLEASE PR

Date 7/17/97

To: San Joaquin County Highway Department.

SETTLING DRY CLEANING DEFENDANTS (SDCDs)
c/o Donald T. Bradshaw, Levine Fricke Recon, Inc
*SDCDs Defined in the First Final Consent Decree Order Judge (Applicant Name) ment and Reference to Special Master, filed with the Court on January 18, 1996; Section IV, Paragraph G.

(Mailing Address)
1900 Powell Street. 12th Floor
Emeryville, CA 94608-1827

(City, State Zip Code)

(510) 652-4500
(Area Code - Telephone Number)

**OFFICE USE ONLY**

JOB # _____ REF# _____
APN ____ - ____ - ____ CRV# _____
EXP. DATE 8/1/97
VALID 7/23/97 TO 8/1/97 DRIVEWAYS:
STREET BEN HOLT DR. * _____
AREA STKN QUAD LV * _____
TYPE SOIL BORING * _____
FORMS SS/WW, R-29
NOTE 1" BORING FOR SOIL TEST

Sketch (Detailed plans may be submitted)

See Attached figure(s).

97 JUL 22 A9:35

The undersigned hereby applies for permission to excavate, construct and / or otherwise encroach on County Highway Right-of-Way on the _____ side of center line approximately _____ feet / mile east of the intersection of Benjamin Holt Dr./Gettysburg Pl., by performing the following work: (description of work): Advancement of soil vapor borings to a depth of less that 50 feet below ground surface (1" Dia)

Work will commence on or about 7/23/97 for approximately 5 days.

I the undersigned certify that I am the owner of the respective property, or am qualified to represent the owner and agree to do the work described above in accordance with the rules, regulations of San Joaquin County and subject to inspection and approval.

Donald T. Bradshaw
SIGNATURE OF APPLICANT - TITLE

7/17/97
DATE


LVMD #1
LVMD #2
MD #6
Former Norge
leaning Village
BENJAMIN HOLT DRIVE
ron
tion
Lincoln Center
PACIFIC AVENUE
Soil Boring




LEGEND

- ⊕ APPROXIMATE LOCATION OF PROPOSED SOIL-VAPOR BORING
- APPROXIMATE WORK AREA

0 80 FEET

LINCOLN CENTER

Traffic Control Plan
Soil-Vapor Boring
Benjamin J. Holt Drive

Levine-Fricke-Recon

Project No. 3966.07/002

Figure

UNCO...\BJHFIG2.PLT

X proposed soil vapor point

# APPLICATION FOR WELL/PUMP PERMIT
## SAN JOAQUIN COUNTY PUBLIC HEALTH SERVICES
## ENVIRONMENTAL HEALTH DIVISION
P.O. Box 388, 304 EAST WEBER AVENUE, STOCKTON, CA 95201-0388
(209) 468-3420

Ron 11/11 Soil report

**NON-REFUNDABLE PERMIT EXPIRES 1 YEAR FROM DATE ISSUED**

**(Complete in Triplicate)**

APPLICATION IS HERE BY MADE TO THE SAN JOAQUIN COUNTY FOR A PERMIT TO CONSTRUCT AND/OR INSTALL THE WORK DESCRIBED. THIS APPLICATION IS MADE IN COMPLIANCE WITH SAN JOAQUIN COUNTY DEVELOPMENT TITLE, CHAPTER 9-1115.3 AND THE STANDARDS OF SAN JOAQUIN COUNTY PUBLIC HEALTH SERVICES, ENVIRONMENTAL HEALTH DIVISION.

JOB ADDRESS/OR APN# 374 Lincoln Center SETTLING DRY CLEANING DEFENDANTS (SDCDs)* CITY Stockton PARCEL SIZE/APN# B. Holt/@ Lincoln CA 94608 Center

OWNER'S NAME c/o Donald T. Bradshaw, Levine-Fricke-Recon Inc. ADDRESS 1900 Powell St., 12th Flr, Emeryville PHONE # (510)652-4500

CONTRACTOR _____ ADDRESS 11350 Monier Park Place LIC# _____ PHONE # (916)

SUB CONTRACTOR Transglobal Environmental Geochemistry ADDRESS Rancho Cordova, CA 95742 LIC# 706568 PHONE # 853-9010

TYPE OF WELL/PUMP: ☐ NEW WELL ☐ REPLACEMENT WELL ☐ MONITORING WELL # _____ ☐ OTHER _____
☐ INSTALLATION ☐ WELL SYSTEM REPAIR ☐ CROSS-CONNECT REPAIR ☐ VAPOR EXTRACTION WELL # _____ J
☐ New ☐ Repair H.P. _____ DEPTH PUMP SET _____ FT. FIRST WATER LEVEL _____ O
(TYPE OF PUMP)
☐ OUT-OF-SERVICE WELL ☐ GEOPHYSICAL WELL # _____ ☒ SOIL BORING VAPOR B

☐ DESTRUCTION: _____

| INTENDED USE | TYPE OF WELL | CONSTRUCTION SPECIFICATIONS | | |
|---|---|---|---|---|
| ☐ INDUSTRIAL | ☐ OPEN BOTTOM | DIA. OF WELL EXCAVATION 1-inch | DIA. OF CONDUCTOR CASING N/A | A |
| ☐ DOMESTIC/PRIVATE | ☐ GRAVEL PACK/SIZE _____ | TYPE OF CASING/STEEL/PVC N/A | DIA. OF WELL CASING N/A | D |
| ☐ PUBLIC/MUNICIPAL | ☐ DRIVEN | DEPTH OF GROUT SEAL N/A | SPECIFICATION cement-bentonite | D |
| ☐ IRRIGATION/AG | ☐ OTHER | GROUT SEAL INSTALLED BY N/A | GROUT BRAND NAME N/A | R |
| ☐ MONITORING | | GROUT SEAL PUMPED: ☐ Yes ☐ No | CONCRETE PEDESTAL BY DRILLER: ☐ Yes ☐ No N/A | E |
| APPROX. DEPTH multiple borings 5 to 45 ft bgs | | LOCKING CHESTER BOX/STOVE PIPE _____ | | S |

PROPOSED CONSTRUCTION/DRILLING METHOD: MUD ROTARY _____ AIR ROTARY _____ AUGER _____ CABLE _____ OTHER Hydraulic Push

I HEREBY CERTIFY THAT I HAVE PREPARED THIS APPLICATION AND THAT THE WORK WILL BE DONE IN ACCORDANCE WITH SAN JOAQUIN COUNTY ORDINANCES, STATE LAWS, AND RULES AND REGULATIONS OF THE SAN JOAQUIN COUNTY. HOME OWNER OR LICENSED AGENT'S SIGNATURE CERTIFIES THE FOLLOWING: "I CERTIFY THAT IN THE PERFORMANCE OF THE WORK FOR WHICH THIS PERMIT IS ISSUED, I SHALL NOT EMPLOY PERSONS SUBJECT TO WORKMAN'S COMPENSATION LAWS OF CALIFORNIA." CONTRACTOR'S HIRING OR SUB-CONTRACTING SIGNATURE CERTIFIES THE FOLLOWING: "I CERTIFY THAT IN THE PERFORMANCE OF THE WORK FOR WHICH THIS PERMIT IS ISSUED, I SHALL EMPLOY PERSONS SUBJECT TO WORKMAN'S COMPENSATION LAWS OF CALIFORNIA." THE APPLICANT MUST CALL 24 HOURS IN ADVANCE FOR ALL REQUIRED INSPECTIONS AT (209) 468-3423. COMPLETE DRAWING AT LOWER AREA PROVIDED.

Signed X Paul Kel Title Site Project Manager Date 5/19/97

PLOT PLAN (Draw to Scale) Scale _____ " to _____

1. NAMES OF STREETS OR ROADS NEAREST TO OR BOUNDING THE PROPERTY.
2. OUTLINE OF THE PROPERTY, GIVING DIMENSIONS AND NORTH DIRECTION.
3. DIMENSIONED OUTLINE AND LOCATION OF ALL EXISTING AND PROPOSED STRUCTURES, INCLUDING COVERED AREAS SUCH AS PATIOS, DRIVEWAYS, AND WALKS.
4. LOCATION OF HOUSE SEWAGE DISPOSAL SYSTEM OR PROPOSED EXPANSION OF SEWAGE DISPOSAL SYSTEMS.
5. LOCATION OF WELLS WITHIN RADIUS OF ONE HUNDRED FIFTY FT.




*SDCDs Defined in the First Final Consent Decree Order Judgement and Reference to Special Master filed with the Court on January 18, 1996; Section IV, Paragraph G.

DEPARTMENT USE ONLY

Application Accepted By mmeaup Date 6.10.97 Area _____

Grout Inspection By _____ Date _____ Pump Inspection By _____ Date _____

Destruction Inspection By _____ Date _____

Comments: SJC Encroachment Permit #97-180-LV issued 5.22.97 expires 7.15.97

| ACCOUNTING ONLY: | AID# | FAC# |
|---|---|---|
| | | |

| PE CODES | FEE INFO | AMOUNT REMITTED | CHECK#/CASH | RECEIVED BY | DATE | PERMIT/SERVICE REQUEST NUMBER | INVOICE |
|---|---|---|---|---|---|---|---|
| 2901 | | $89 | 770 | meaup | 6.10.97 | 012745 | |
| | | | | | | | |
| | | | | | | | |