COUNTY OF SAN JOAQUIN

DEPARTMENT OF PUBLIC WORKS
P.O. BOX 1810-1810 E. HAZELTON AVENUE
STOCKTON, CALIFORNIA 95201
(209) 468-3000
FAX # (209) 468-9324

Permit No: **PS-0900337**
Date Issued: 03/10/2009
Exp. Date: 03/13/2009
Project No: PWP110005
Quad: NW

ENCROACHMENT PERMIT

To: RECLAMATION DISTRICT NO. 548
P.O. BOX 1461
STOCKTON, CA 95201

Encroachment Type:

Trench - pipe installation			

Location:
ACROSS CORREIA RD. 1-1/2 MILES S/O HWY 12

In compliance with your request of ~~03/10/2009~~ 01/29/2009, permission is hereby granted to do work in County right-of-way as shown on attached application and subject to all the terms, conditions and restrictions written below ~~or printed as general or special provisions on any part of this form. See reverse side and attached sheet, if any.~~ and on the attachment entitled "Additional Provisions To Encroachment Permit No. PS-0900337.

Trench excavations for service connections will not be permitted within ten feet (10') of pavement centerline unless otherwise approved by the Director. Surface of trench patches shall match in kind and be smooth and even with that of abutting surface. Special attention shall be given to depth of utilities through roadside area in anticipation of future drainage facilities, road profile and/or frontage development. All underground utility facilities are to be established and accurately dimensioned on sketches from surveyed centerline of road right of way, or from right of way (border) lines.

The Department of Public Works, Road Maintenance Division ~~Field Inspection Section~~ shall receive a notice at least forty-eight hours prior to beginning any work within the County right of way. All work performed under this permit shall conform to the rules and regulations pertaining to safety established by the California Division of Industrial Safety and Cal-OSHA.

The jobsite shall be kept in a safe condition at all times by the daily removal of any excess dirt or debris which might be a hazard to either pedestrian or automobile traffic. ~~All necessary traffic convenience and warning devices and personnel shall be provided, placed and maintained by and at the sole expense of the Permittee in accordance with the latest edition of the CALTRANS Manual of Traffic Control.~~

After completion of the work permitted herein, all debris, lumber, barricades, or any excess material shall be removed and the jobsite left in a neat workmanlike manner. Immediately following completion of construction permitted herein, Permittee shall fill out and mail notice of completion provided by Grantor.

Special Comments:

Property owners shall be notified 48-hours prior to any road closure****Advanced signage shall be placed @ Hwy 12 advising the traffic delay dates and any closure dates****The County Road Maintenance Division shall provide the traffic control signage, pipe materials and the final paving****The Permittee shall install the pipe, properly compacted backfill and 6" aggregate base****See Attached One Time "ADDITIONAL PROVISIONS TO ENCROACHMENT PERMIT NO. PS-0900337"

FORMS:

SS/WW, R-29		

Est. Permit Fee: $0.00

THOMAS R. FLINN, Director
Department of Public Works

By: Scott Cooper

WHITE -Permitee
GOLDENROD -PWD Central File
YELLOW -Field Inspection

APPROVED TO FORM:

COUNTY OF SAN JOAQUIN

DEPARTMENT OF PUBLIC WORKS
P.O. BOX 1810-1810 E. HAZELTON AVENUE
STOCKTON, CALIFORNIA 95201
(209) 468-3000
FAX # (209) 468-9324

Permit No: **PS-0900337**
Date Issued: 03/10/2009
Exp. Date: 03/13/2009
Project No: PWP110005
Quad: NW

ENCROACHMENT PERMIT

To: RECLAMATION DISTRICT NO. 548
P.O. BOX 1461
STOCKTON, CA 95201

Encroachment Type:

Trench - pipe installation			

Location:
ACROSS CORREIA RD. 1-1/2 MILES S/O HWY 12

In compliance with your request of ~~03/13/2009~~ 01/29/2009, permission is hereby granted to do work in County right-of-way as shown on attached application and subject to all the terms, conditions and restrictions written below ~~or printed on general or special provisions on any part of this form. See reverse side and attached sheet, if any.~~ and on the attachment entitled "Additional Provisions To Encroachment Permit No. PS-0900337.

Trench excavations for service connections will not be permitted within ten feet (10') of pavement centerline unless otherwise approved by the Director. Surface of trench patches shall match in kind and be smooth and even with that of abutting surface. Special attention shall be given to depth of utilities through roadside area in anticipation of future drainage facilities, road profile and/or frontage development. All underground utility facilities are to be established and accurately dimensioned on sketches from surveyed centerline of road right of way, or from right of way (border) lines.

The Department of Public Works, ~~Field Inspection Section~~ Road Maintenance Division shall receive a notice at least forty-eight hours prior to beginning any work within the County right of way. All work performed under this permit shall conform to the rules and regulations pertaining to safety established by the California Division of Industrial Safety and Cal-OSHA.

The jobsite shall be kept in a safe condition at all times by the daily removal of any excess dirt or debris which might be a hazard to either pedestrian or automobile traffic. ~~All necessary traffic convenience and warning devices and personnel shall be provided, placed and maintained by and at the sole expense of the Permittee in accordance with the latest edition of the CALTRANS Manual of Traffic Control.~~

After completion of the work permitted herein, all debris, lumber, barricades, or any excess material shall be removed and the jobsite left in a neat workmanlike manner. Immediately following completion of construction permitted herein, Permittee shall fill out and mail notice of completion provided by Grantor.

Special Comments:

Property owners shall be notified 48-hours prior to any road closure****Advanced signage shall be placed @ Hwy 12 advising the traffic delay dates and any closure dates****The County Road Maintenance Division shall provide the traffic control signage, pipe materials and the final paving****The Permittee shall install the pipe, properly compacted backfill and 6" aggregate base****See Attached One Time "ADDITIONAL PROVISIONS TO ENCROACHMENT PERMIT NO. PS-0900337"

FORMS:

SS/WW, R-29		

Est. Permit Fee: $0.00

THOMAS R. FLINN, Director
Department of Public Works

By: Scott Cooper

WHITE -Permitee
GOLDENROD -PWD Central File
YELLOW -Field Inspection

SPECIAL CONDITIONS FOR THIS PERMIT ONLY

ADDITIONAL PROVISIONS
TO ENCROACHMENT PERMIT NO. PS-0900337

1. Water Code section 7030 et seq. pertain to the matter of whether the Grantor or Permittee (hereinafter collectively "Parties") is responsible for performing and/or financing the work that is the subject of this encroachment permit. Water Code section 7036 provides that the Parties may enter into an agreement to apportion that responsibility as they determine to be equitable. This encroachment permit constitutes such an equitable agreement whereby, in lieu of disputing which party is responsible for all or portions of such work, the Parties have agreed to apportion that responsibility as provided herein. It is understood by the Parties that in doing so neither party admits any responsibility for any such work nor waives any rights or legal positions they may have pertaining to such responsibility under Water Code section 7030 et seq. or otherwise.

2. It is further understood by the Parties that their respective responsibility, if any, for the future maintenance, repair, improvement, reconstruction, replacement or other functions set forth in Water Code section 7030 et seq. pertaining to the work that is the subject of this permit shall be as provided in those sections and any other applicable laws, or, in the alternative, as the Parties mutually and equitably agree pursuant to section 7036 or otherwise.

3. It is understood and agreed by the Permittee that the doing of any work under this permit shall constitute an acceptance of all the provisions contained herein and failure on the Permittee's part to comply with any provision will be cause for revocation of this permit. Except as otherwise provided for public agencies and franchise holders, this permit is revocable on five days notice.

4. All work shall be done subject to the supervision of and the satisfaction of the Grantor. The Permittee shall at all times during the progress of the work keep the County Highway in as neat and clean a condition as is possible and upon completion of the work granted herein, shall leave the County Highway in a thoroughly neat and clean condition and ready for final paving by Grantor.

5. No material used for fill or backfill in the construction of the enroachment shall be borrowed or taken from within the County right of way.

6. All work shall be planned and carried out so that there will be as little inconvenience as possible to the traveling public. Adequate provision shall be made for the protection of the traveling public.

7. Permittee agrees to defend, hold harmless and indemnify Grantor from and against damages, reasonable attorney's fees, losses, costs, and expenses which may be incurred as a result of a claim or claims against Grantor by any third party, to the extent caused by or arising out of any negligence or willful misconduct, alleged or otherwise, on the part of Permittee in connection with the work that is the subject of this permit agreement. Grantor, in turn, agrees to defend, hold harmless and indemnify Permittee from and against damages, reasonable attorney's fees, losses, costs, and expenses which may be incurred as a result of a claim or claims against Permittee by any third party, to the extent caused by or arising out of any negligence or willful misconduct, alleged or otherwise, on the part of Grantor in connection with the work that is the subject of this permit agreement.

8. All backfill material is to be moistened as necessary and thoroughly compacted with mechanical means.

9. Whenever necessary to secure permission from abutting property owners, such authority must be secured by the Permittee prior to starting work.

10. The future safety and convenience of the traveling public shall be given every consideration in the location and type of construction.

PS-0900337

APPLICATION FOR ENCROACHMENT PERMIT

PLEASE PRINT:

Date 1/29/09

To: San Joaquin County
Department of Public Works

Reclamation District No. 548
(Applicant Name)

P.O. Box 1461
(Mailing Address)

Stockton, CA 95201
(City, State, Zip Code)

(209) 465-5883
(Area Code - Telephone Number)

OFFICE USE ONLY			
JOB #	110085	REF #	
APN		CR #	
EXP. DATE			
VALID		TO	DRIVEWAYS:
STREET	Correia RD.		*
AREA	DELTA	QUAD NW	*
TYPE	TRENCH		*
FORMS	~~ES~~ W, R-29		
NOTES			

Sketch (Detailed plans may be submitted)

If necessary, a sketch can be provided once RD 548 ascertains from the County the required design specifications for the culvert replacement.

A map of the location of replacement project is attached hereto.

The undersigned hereby applies for permission to excavate, construct and/or otherwise encroach on County Highway Right-of-Way on the east & west side of, and through, Correia Road ~~approximately~~ ~~feet/mile~~ ~~of~~ within RD 548, Lodi, CA (See attached map) by performing the following work (description of work):

RD 548 will be removing the existing culvert pipeline that crosses under Correia Road and replacing it with a new culvert pipeline to be furnished by the County.

Work will commence on or about T.B.D. but as soon as approval and other conditions are met for approximately two (2) days. (But probably just one (1))

I, the undersigned, certify that I am the owner of the respective property, or am qualified to represent the owner and agree to do the work described above in accordance with the ~~rules and regulations of San Joaquin County and subject to inspection and approval.~~ terms and conditions RD 548 and San Joaquin County agree to in this cooperative effort.

Secretary & Attorney, for RD 548
Signature of Applicant - Title

1/29/09
Date

Y:\FORMS & TEMPLATES\ENCROACHMENT PERMIT APPLICATION (rev 10/07).

Google Maps

Correia Road



Google Maps

Correia Road



NOTES:

1. Relative compaction of materials shall be tested in accordance with the State of California, Dept. of Transportation Testing Manuals, test method No. California 216 or 231.
2. All existing pavement shall be neatly cut to line prior to trench excavation.
3. Jetting or ponding will be permitted within the street Right of Way with a 3 year bond.
4. When shown by soil composition and compactability, ninety percent (90%) compaction may be used, when approved by the Director of Public Works.
5. Special bedding requirements may be shown on the plans or specified in special provisions.
6. Shoulders shall be as shown on the plans or specified in the special provisions but in no case shall the shoulder be less than three feet wide as measured from the edge of pavement.

No.	Revised	By
1	Feb. 1996	PD

TYPICAL TRENCH BACKFILL

Approved by
Henry M. Hirata
Director of Public Works

Drawn by JLD
Checked by
Scale NONE

COUNTY OF SAN JOAQUIN
DEPARTMENT OF PUBLIC WORKS

Date JUNE 1997
Drawing No. R-29