# FIELD BOOK INDEX FB 500 D

| LOCATION | LIMITS | DATA RECORDED | PAGE |
|---|---|---|---|
| T.1S R9E | 20/29 | 1/4 Cor. | Pg. 1 |
| T1NR8E | 23 \| 24 | 1/4 Cor. | Pg. 2 |
| T1NR8E | 23 \| 24 / 26 \| 25 | SEC. Cor. | Pg. 3 |
| T2NR8E | 3 \| 2 | 1/4 Cor. | Pg. 4 |
| T.3NR8E / T2NR8E | 34 \| 35 / 3 \| 2 | | Pg. 5 |
| T3NR8E | 27 \| 26 | | Pg. 6 |
| T3NR8E | 22 \| 23 / 27 \| 26 | | Pg. 7 |
| T4NR6E | 15 \| 14 / 22 \| 23 | | Pg. 8 |
| T4NR6E | 14/23 | | Pg. 9 |
| T4NR6E | 14 \| 13 / 23 \| 24 | | Pg. 10 |
| T4NR6E | 13/24 | | Pg. 11 |
| T4NR6E / T4NR7E | 13 \| 18 / 24 \| 19 | | Pg. 12 |
| T4NR7E | 18/19 | | Pg. 13 |
| T4NR7E | 18 \| 17 / 19 \| 20 | | Pg. 14 |
| T4NR7E | 16/21 | | Pg. 15 |
| T4NR7E | 16 \| 15 / 21 \| 22 | | Pg. 16 |
| T4NR8E | 3/10 | | Pg. 17 |
| T4NR8E | 3 | | Pg. 18 |
| T4NR7E | 4 \| 3 / 9 \| 10 | | Pg. 19 |
| T5NR7E / T4NR7E | 33 \| 34 / 4 \| 3 | | Pg. 20 |
| T5NR7E / T4NR7E | 35 \| 36 / 2 \| 1 | | Pg. 21 |
| T5NR7E / T4NR7E | 35/2 | | Pg. 22 |
| T1SR6E / T0SR6E | 35 \| 36 / 2 \| 1 | | Pg. 23 |
| T4NR6E | 32 \| 33 | | Pg. 24 |
| T4NR6E / T3NR6E | 32 \| 33 / 5 \| 4 | | Pg. 25 |
| T3NR6E | 5 \| 4 | | Pg. 26 |
| T3NR6E | 5 \| 4 / 8 \| 9 | | Pg. 27 |

# FB 500 D

| | | | | Page |
|---|---|---|---|---|
| T3N R6E | 3 9 28 | | | |
| SEC. COR. | T5N R.8E | | 19\|20 / 30\|29 | 29 |
| 1/4 1/4 COR. | T2N R9E | | 5 / 8 | 30 |
| SEC. COR. | T2N R9E | | 29\|28 / 32\|33 | 31 |
| 1/4 COR | T2N R9E | | 29\|28 | 32 |
| SEC. COR. | T2N R9E | | 20\|21 / 29\|28 | 33 |
| 1/4 COR. | T2N R9E | | 20\|21 | 34 |
| SEC. COR. | T2N R9E | | 17\|16 / 20\|21 | 35 |
| SEC. COR. | T2S R5E | | 19\|20 | 36 |
| SEC. COR. | T2S R5E | | 18\|20 / 30\|29 | 37 |
| SEC. COR. | T3S R5E | 7\|8 / 18\|17 | | 38 |
| SEC. COR. | T3S R5E | | 6\|5 / 7\|8 | 39 |
| SEC. COR. | T2S R5E | 5\|4 / 8\|9 | | 40 |
| 1/4 COR. | T3S R5E | 4 / 9 | | 41 |
| 1/4 COR. | T3S R5E | 9\|10 | | 42 |
| SEC. COR. | T3S R5E | | 9\|10 / 16\|15 | 43 |
| 1/4 COR. | T3S R5E | 4\|3 | | 44 |
| CENTER OF SECTION | T1N R8E | | SEC. 33 ⊡ | 45 |
| 1/4 COR. | T1N R8E | 34 / 33 | | 46 |
| CENTER OF SECTION | T1N R8E | | SEC. 34 ⊡ | 47 |

# FB 500 D

| DESCRIPTION | LOCATION | | PAGE |
|---|---|---|---|
| 1/4 COR. | T1N R8E | 35 / 34 | 48 |
| 1/4 COR. | T1N R8E | 36 / 35 | 49 |
| SEC. COR. | T4N R6E | 23\|24 / 26\|25 | 50 |
| 1/4 COR. | T4N R6E | 24 / 25 | 51 |
| SEC. COR | T2N R8E | 15\|14 / 22\|23 | 52 |
| CTR. SEC. 21 1/4 SEC. COR. | T1S R7E | ⊡ | 53 |
| CENTER SEC. 24 T2N R8E | | ⊡ | 54 |
| 1/4 COR. T1S R6E | | 27\|26 | 55 |
| 1/4 COR. CTR. SEC. 26 | T1S R6E | ⊡ | 56 |
| 1/4 Cor | T2S R7E | 19 / 30 | 57 |
| 1/4 Cor | T2S R5E | 20 / 29 | 58 |
| Sec. Cor | T3S R6E | 6\|5 / 7\|8 | 59 |
| 1/4 Cor | T2S R8E | 19\|20 | 60 |
| Sec. Cor. | T2S R5E | 23\|24 / 26\|25 | 61 |
| Sec. Cor | T1S R8E | 9\|10 / 16\|15 | 62 |
| Sec. Cor | T1S R8E | 15\|14 / 22\|23 | 63 |
| 1/4 Cor | T1S R8E | 15 / 22 | 64 |
| Sec. Cor | T1S R8E | 16\|15 / 21\|22 | 65 |
| sec cor | T2N 6E | 10\|11 / 15\|14 | 66 |
| SEC. COR | T1S R7E | 20\|21 / 29\|28 | 67 |
| 1/4 Sec. Cor. | T1S R7E | 20 / 29 | 68 |
| SEC. COR | T1S R7E | 19\|20 / 30\|29 | 69 |
| SEC. COR | T1S R6E | 24\|19 T1S R7E / 25\|30 | 70 |
| SEC. COR | T1S R6E | 23\|24 / 26\|25 | 71 |

| DESCRIPTION | LOCATION | | PAGE |
|---|---|---|---|
| 1/4 Sec. Cor. | T1S R6E | 23 / 26 | 72 |
| 1/4 Cor. | T3N R7E | 7 / 18 | 73 |
| Sec. Cor | T3N R7E | 7\|8 / 18\|17 | 74 |
| 1/4 Sec. Cor | T3N R6E | 23 / 26 | 75 |
| SEC. COR | T3N R6E | 22\|23 / 27\|26 | 76 |
| 1/4 SEC. COR. | T3N R6E | 26 / 35 | 77 |
| 1/4 SEC COR | T3N R6E CTR. SEC. 35 | ⊡ | 78 |

T1SR9E 1/4 COR. 20/29

2x2 HUB & TACK 1" BELOW SURFACE

Set 1/2" Bolt with Brass Washer [illegible]

FIELD BOOK

500-D

MURDOCK
PERSANO
VIOLETT

10/31/67

①



TIMBE 1/4 COR. 23 | 24

FOUND 2" IRON PIPE 12" DEEP
PLACED 2"x2" HUB & TACK ON
SURFACE F.B. 49R Pg. 36

FIELD BOOK
500-

PERSANO
VIOLETT 11/9/67



T1N R8E SEC. COR.

| | |
|---|---|
| 23 | 24 |
| 26 | 25 |

FOUND 1" IRON PIPE 18" DEEP
PLACED 2"x2" HUB & TACK
F.B. 49 R Pg. 37

FIELD BOOK
500-D

PERSANO
VIOLETT 11/8/67

(3)



T2NR5E 1/4 COR. 3 | 2

FOUND 5/8" BOLT & WASHER ON SURFACE &
3/4" IRON PIN 20" DEEP

FIELD BOOK
500-D

MURDOCK 11/24/67
VIOLETT

(4)



MURDOCK
VIOLETT 11/24/67

(5)

| | | |
|---|---|---|
| T3N R8E | 34 | 35 |
| T2N R8E | 3 | 2 |

FOUND 5/8" BOLT & WASHER ON SURFACE
FOUND 2" I. PIPE 8" BELOW SURFACE. REMOVED
I. PIPE AND LOWERED BOLT & WASHER 20"
DEEP. PLACED 2X2 HUB ON SURFACE.

FIELD BOOK
500-D



MUKDOCK
VIOLETT 11/24/67

(6)

T3NR8E 1/4 COR. 27 | 26

FOUND BOLT & WASHER ON SURFACE
FOUND 1" I. PIPE 6" BELOW. REMOVED
I. PIPE AND PLACED BOLT & WASHER
24" DEEP. PLACED 2X2 HUB ON
SURFACE.




FIELD BOOK
500-1

T3NR5E

| | |
|---|---|
| 22 | 23 |
| 27 | 26 |

FOUND BOLT & WASHER. LOWERED BOLT & WASHER 24" DEEP, PLACED 2X2 HUB ON SURFACE.

FIELD BOOK
500-D

PACIFIC
TIDEBOOK
VERIFY





T4NR6E

| 15 | 14 |
|---|---|
| 22 | 23 |

FOUND 2X2 HUB F.B. 49 P. No. 59

FIELD BOOK
500-D

MURDOCK
PERSANO
VIOLETT

12/11/67





MURDOCK
PERSANO
VIOLETT

12/11/67

(9)

T4NR6E 1/4 COR. 14/23

DUG 12" DEEP FOUND EVIDENCE WHERE RUSTED 1/2" I. PIN HAD BEEN. FOUND BOLT ON SURFACE 0.60' SOUTH OF LINE. PLACED 2X2 HUB ON SURFACE WHERE I. PIN WAS.




FIELD BOOK
500-D

T4N.R6E. SEC. COR.

| | |
|---|---|
| 14 | 13 |
| 23 | 24 |

FOUND AXLE 20" DEEP. PLACED 2x2 HUB ON SURFACE. F.B. 49V PG. 31

FIELD BOOK
500-D

MURDOCK
PERSANO
VIOLETT

12/11/67





T4NR6E 1/4 COR. 13/24

FOUND 2X2 HUB FROM OLD TIES

F.B. 49.V Pg. 32

FIELD BOOK
500-D

MURDOCK
PERSANO 12/12/67
VIOLETT

(11)



TAN R6E | 13 | 18 | TAN R7E
| 24 | 19 |

CHISELED CROSS ON OVERPASS ACROSS INTERSTATE 5 (HWY. 99)

FIELD BOOK
500-D

MURDOCK
PERSANO
VIOLETT

12/12/67

(12)



T4N R7E 18/19

FOUND 2X2 HUB ON SURFACE FROM TIES

F.B. 49 M. Pg. 76

FIELD BOOK
500-D

MURDOCK
PERSANO
VIOLETT

12/12/67

(13)



MURDOCK
PERSANO
VIOLETT

12/20/67

(14)

T4N R7E

| | |
|---|---|
| 18 | 17 |
| 19 | 20 |

FOUND BOLT ON SURFACE 49M P6.79

FOUND OLD PUMP HANDLE 18" DEEP

REMOVED PUMP HANDLE AND LOWERED

BOLT 20" DEEP. PLACED 2X2 HUB ON

SURFACE.

FIELD BOOK
500-D




KENNEDY ROAD

T4N R7E 1/4 COR. 16/21

FOUND RAILROAD SPIKE ON SURFACE F.B. 529-P.1

LOWERED BRASS PIN & WASHER 24" DEEP

PLACED R.R. SPIKE ON SURFACE.

FIELD BOOK
500-D

MURDOCK
PERSANO
VIOLETT

12/20/67





T4NR7E SEC. COR. 16 | 15
21 | 22

FOUND 5/8" BRASS PIN WITH WASHER BROKEN OFF

FIELD BOOK
500-D

HUNSOCK
PERCANS
TOLETT

12/20/67

(16)



T4NR8E 1/4 COR. $\frac{3}{10}$

FOUND LARGE SPIKE ON SURFACE FROM TIES. F.B. 49U Pg. 41

FIELD BOOK
500-D

PERSHING
VIOLET 1/29/68





T4N R5E CENTER OF SEC. 5

FOUND BOLT 18" DEEP FROM TIES

F.B. 49 C Pg. 52

FIELD BOOK
500-D

PERSAINO
VIOLETT 1/29/68





T4N R7E SEC. COR.

| | |
|---|---|
| 4 | 3 |
| 9 | 10 |

FOUND I. PIPE @ SEC. COR. F.B. 49J Pg. 25
F.B. 49E Pg. 19

FIELD BOOK
500-D

PERSANO
VIOLETT 1/30/68





T5N R7E

T4N R7E

SEC. COR.

| | |
|---|---|
| 33 | 34 |
| 4 | 3 |

FOUND LARGE SPIKE ON SURFACE FROM TIES F.B. 19U PG. 10.

FIELD BOOK
500-D





| | | |
|---|---|---|
| T5N R7E | 35 | 36 |
| T4N R7E | 2 | 1 |

FOUND 2x2 HUB & TACK F.B. 49W Pg. 72

FIELD BOOK
500-D

PERSANO
VIOLETT 2/8/68

2.



1/4 COR. T31N R7E 35
T4NR7E 2

FOUND 2x2 HUB & TACK F.B. 490 Pg. 12

FIELD BOOK
500-D

PERSANC
VIOLETT 2/8/68





| SEC. COR. | | | |
|---|---|---|---|
| | T15 R6E | 35 | 36 |
| | T25 R6E | 2 | 1 |

FOUND 2X2 HUB @ SEC. COR.

OLD TIES F.B. 49 I Pg. 39

FIELD BOOK

500-D

MURDOCK
PERSANO
VIOLETT

3/27/68

(23)



10-30-70

24

1/4 CORNER TIMBER

Fd 2X2 Hub 1 Nail
Agr. Pg. 33

32 33




FIELD BOOK
500-D

FIELD BOOK
500-D

SEC CORNER

| T4NR6E | |
|---|---|
| 32 | 33 |
| 5 | 4 |

T3NR6E

Fd Bolt FLUSH



1/4 Sec Corner T3N R6E

Fd 1/4 Iron Pin
2' Deep

5 — 4

FIELD BOOK
500-D

Wise
Bluck
Little

10-20-70



SEC CORNER T3NR6E

| 5 | 4 |
|---|---|
| 8 | 9 |

Fd Bolt & WASHER
49 A Page 33

LOWERED BOLT & WASHER
18" AND SET 2x2 OVER
1-6-76 PAR.

FIELD BOOK
500-D

Wise
BLUCK
LITTLE

10-20-70 27

ADDITIONAL TIES
MADE 12-22-75
PAR.



1/4 Corner

8 | 9

Fd Bolt & Washer in Surface.

Set I. Rod with washer stamped RE 9338 18" deep
Reset Bolt & Washer over
1-6-76 PAR.

FIELD BOOK
500-D



Wire Block Line

Made additional ties 10-28-70 PAR.



P. RILCOFIRO
K. KIEB
M. LANIERI

AUG 20, 1971

SEC. COR.

DUG, FD. NOTHING
SET 5/8" I. PIN WITH BRASS
WASHER STAMPED LS 2239
12" dp. per TIES IN SACRAMENTO
& SAN JOAQUIN CO. LINE SURVEY
BOOK 4, Pg. 67A
SET 2" x 2" HUB OVER.

T5NR8E

| | |
|---|---|
| 19 | 20 |
| 30 | 29 |




FIELD BOOK
500-D