~~T4NR6E~~

4

9

T3NR6E

1/4 SECTION CORNER FD. 2"X2" HUB.
WITH NAIL ON TOP.

OLD TIES 1/2" IRON PIN
LOWERED TO 12" & PLACED
2"X2" HUB OVER.
BK. 49 P, Pg 11.

FIELD BOOK

500-J



5/8

T3N R6E

1/4 SECTION CORNER FD. 1/2" IRON PIN FLUSH ON PAVEMENT

OLD TIES SEE BK. 49 J Pg. 29

FIELD BOOK.
500-J



6 | 5
7 | 8
T3NR6E

SECTION CORNER FD. BOLT & WASHER WITH 2" X 2" HUB & NAIL ON TOP.

FOUND BOLT & WASHER IN BK T 103 PG
DATED: 2-13-29
REFER BK 49 A, Pg 32

SCP 500 IT PG 18

FIELD BOOK
500-J



Wheeler
Brown



| Sec Cor. | T2NR2E | 1 | 6 |
|---|---|---|---|
| | T2NR3E | 12 | 7 |

Fd ½ IRON PIN MONUMENT
FRAME & COVER
49 φ PG 35'

FIELD BOOK
500-J



¼ Sec. Cor. T2NR8E 6/7

FIELD LOOK

500.J

Wheeler Brown



1/4 sec cor T2NR8E

Fd 1" IRON PIN IN MONUMENT
FRAME & COVER

FIELD BOOK
500-J



SEC COR T2NR8E

| | |
|---|---|
| 3 | 10 |
| 4 | 9 |

Fd 1" IRON PIN IN MONUMENT
FRAME & COVER

FIELD BOOK
500-J

BROWN
WHEELER





BROWN
Wheeler

1/4 SEC COR T2NR8E

Fd 1" IRON PIPE IN MONUMENT
FRAME COVER

FIELD BOOK

500-J



BROWN
WHEELER

37

¼ COR T2NR8E 3/10

Fd 1" IRON PIN IN
MONUMENT + FRAME Cover

FIELD BOOK
500-J



sec Cor. T2NR8E

2 | 1
1 | 12

Fd 2x2 HUB IN MONUMENT
FRAME + Cover

FIELD BOOK
500.J

Brown
Wheeler





center sec 12 T2N R3E

Fd 2x2 HUB

Fd MON. [illegible]

w/ 4 - 2' [illegible]

( [illegible] )

FIELD BOOK

500-J

BROWN
Wheeler



Center Section T2NR8E

1 | 3

Fd 1" Iron Pin in Monument Frame & Cover

FIELD BOOK

500-J

Brown
Wheeler



¼ Section Corner T2N R8E

13
24

Fd 1" Iron Pin in Monument Frame + Cover.

FIELD BOOK

500 J

Brown
Wheeler



T2NR8E [24] 1/4 Sec Cor

Fd 5/8 X 10 Iron Pin
With Brass Plate Stamp
R.E. 9338

FIELD BOOK
500-J




Research

T2N R8E ¼ Sec Cor

2¼
2/5

Fd Bolt + Washer 15" Deep
put 2 x 2 Hub to surface
of Road Place 4 R.K.
Nails Around Point

FIELD BOOK

500-J



¼ Section Corner T2NR8E

35
36

Fd ½ iron pipe 8" Deep

FIELD BOOK

500-J

Brown
Wheeler



Sec. Cor T2NR8E $\frac{33|34}{4|3}$

Fd Square PIN 16" Deep IN Monument + Frame Cover

FIELD BOOK

500-J

Brown Wheeler



Sec. Cor. T2N R2E

| | |
|---|---|
| 28 | 27 |
| 33 | 34 |

Fd Bolt + Washer Stamp
L.S. 2239 on Surface
of Road

FIELD BOOK

500-J

Brown
Wheeler



¼ Sec. Cor. T2NR8E
28/27

Fd Bolt + Washer Stamp
L.S. 2239 S.J. Co. Center
of Road way Top of Road
Surface

FIELD BOOK

500-J



Sec. Cor T2N R2E 21/22
28/27

Fd Rail Road Spike
on Surface of Roadway

FIELD BOOK
500. J

Brown
Wheeler



1/4 Sec. Cor T2NR8E
21/22

Fd Bolt + Washer on
Surface of road way
stamp L.S. 2239 S.T. Co.

FIELD BOOK
500-J



Sec. Cor. T2NR8E | 9 | 10 / 16 | 15

Fd Bolt + Washer on Surface of Road, Lowered 6" Deep Stamp L.S. 2239 S.J. Co.

FIELD BOOK

500. J



Brown
Wheeler

$\frac{1}{4}$ sec. Cor. T2N R7E
5

Fd $\frac{3}{4}$" Iron Pin Lowered
To 24" Deep

FIELD BOOK
500-J