1976 FB 500-J

	PAGES
~~T5NR7E~~ 11 | 12 T4NR7E 1/4 SEC. CORNER	1
~~T5NR7E~~ 14 | 13 T4NR7E 1/4 SEC. CORNER	2
T4NR5E 35 / 2 T3NR5E 1/4 SEC. CORNER	3
T4NR5E 35 | 36 / 2 | 1 T3NR5E SEC. CORNER	4
T4NR5E 36 / 1 T3NR5E 1/4 SEC. CORNER	5
T4NR5E 36 | 31 / 1 | 6 T4NR6E SEC. T3NR5E T3NR6E CORNER	6
T4NR6E 31 | 6 1/4 SEC. CORNER	7
T4NR6E 31 | 32 / 6 | 5 T3NR6E SEC. CORNER	8
T4NR6E 32 | 5 T3NR6E 1/4 SEC. CORNER	9
T4NR6E 33 / 4 T3NR6E 1/4 SEC. CORNER	10

Page	
1/10	55
8/17	56
7/8	57
12/7 / 13/18	58
7/8	59
8/17 / 9/16	60
16/15 / 14/13	61
2/3	62
	63
	64
	66

FB 500 - J

		Pages
T4NR6E 33/34 4/3 T3NR6E	Sec Corner	11
17/16 T4NR6E	1/4 Sec Corner	12
20/21 T4NR6E	1/4 Sec Corner	13
T4NR6E 20/21 29/28	Section Corner	14
29/28 T4NR6E	1/4 Sec Corner	15
32/33 T4NR6E	1/4 Sec. Corner	16
T4NR6E 32/33 5/4 T3NR6E	Sec. Corner	17
~~T4NR6E~~ 5/4 T3NR6E	1/4 Sec. Corner	18
~~T4NR6E~~ 8/9 T3NR6E	1/4 Sec. Corner	19
TIES JACK TONE ROAD		20
T5NR7E 25/30 36/31 T5NR8E	Sec. Corner	21
T5NR8E 30/29 31/32	Sec. Corner	22
~~T5NR8E~~ (3) T4NR8E	1/4 Sec Corner	23
T4NR8E 3/10	1/4 Sec Corner	24
T4NR7E	SEC 23 Center of Section	25
TIED SARGENT ROAD		26
5/4 8/9 T3NR6E	Sec. Corner	27
~~T4NR6E~~ 4/3 9/10 T3NR6E	Sec Corner	28
~~T4NR6E~~ 4/9 T3NR6E	1/4 Sec Corner	29
5/8 T3N	1/4 Sec Corner	30
6/5 T18 T3NR6E	~~Sec Corner~~	31
	SEE EDDY K PAGE 15	

FB 500 - J

		Pages			Page
Sec Cor T2NR7E 1/6 T2NR8E 12/7	32	1/4 Sec. Cor T2NR8E	9/10		55
		Sec Cor T2NR7E	7/8 18/17		56
1/4 Cor T2NR8E 9/7	33	1/4 Sec. Cor T2NR8E	7/8		57
		Sec. Cor T2NR7E	12/7 18/18		58
1/4 Cor T2NR8E 5/8	34	Sec. Cor. T3NR8E	7/8 18/17		59
Sec Cor T2NR8E 4/3 9/10	35	Sec. Cor. T3NR8E	9/10 16/15		60
1/4 Cor T2NR8E 4/9	36	1/4 Sec Cor T3NR8E	16/15		61
1/4 Cor T2NR8E 3/10	37	Sec. cor T3NR7E	11/12 14/13		62
Sec Cor T2NR8E 11/12	38	1/4 Cor. T3NR7E	12/13		(63)
Center section T2NR8E [12]	39	1/4 Cor T3NR6E	5/4		(64)
Center Section 1/3 T2NR8E	40	Sec. Cor T4NR8E T3NR8E	32/33 5/9		(65)
1/4 Sec. Cor. T2NR8E 13/24	41				
1/4 Sec. Cor T2NR8E [24]	42				
1/4 Sec. Cor T2NR8E 24/25	43				
1/4 Sec. Cor T2NR8E 25/36	44				
Sec. Cor T2NR8E 33/34 21/3	45				
Sec. Cor T2NR8E 28/27 33/34	46				
1/4 Sec. Cor T2NR8E 28/27	47				
Sec. Cor T2NR8E 21/22 28/27	48				
1/4 Sec. Cor T2NR8E 21/22	49				
Sec. Cor. T2NR8E 9/10 16/15	50				
1/4 Sec. Cor T2NR8E [5]	51				
1/4 Sec. Cor T2NR8E 9/16	52				
Sec. Cor. T2NR8E 8/9 17/16	53				
1/4 Sec. Cor T2NR8E 8/17	54				

11 | 12

T4NR7E

1/4 Section Corner Fd. Bolt & Washers
Lowered 18" Deep, set 2" x 2" Hub
& Tack
Old Ties see Bk 49 xx Pg. 68

FIELD BOOK
500-J

FIELD BOOK
500-J



T3N R7E

14 13

T4N R7E

1/4 SECTION CORNER F.D. BOLT & WASHER
STAMPED L.S. 2239

SET CORNER 10" BELOW SURFACE OF
ROAD PLACED 2" X 2" HUB & TACK
REFER BK 48 M, Pg. 21

FIELD BOOK
500-J



T4NR5E

35
2

T3NR5E

¼ Section Corner Fd. S. J. Co.
Monument with Pin & washer No Cover

For old Ties: Bk 49 V Pg. 57
F.S Vol. 5 Pg. 217

FIELD BOOK
500-J



T4NR5E

35	36
2	1

T3NR5E

SECTION CORNER FD. BOLT & WASHER ON THE SURFACE OF ASPHALT PAVEMENT

OID TIES SEE BK 49 V Pg 56
F.B. 508 Pg. 6
F.S. Vol. 5 Pg. 217

FIELD BOOK
500-J



T4NR5E

36

T3NR5E 1

1/4 Section Corner F.D. Spike on Surface of Asphalt Pavement

Refer Book Vol 13 Pg. 108

FIELD BOOK

500-J



T4NR5E T4NR6E

36 | 31
1 | 6

T3NR5E T3NR6E

SECTION CORNER FD. S.S. WITH WASHER
FLUSH ON PAVEMENT.

OLD TIES SEE BK 49 V. PG. 4

FIELD BOOK
500-J



T4NR6E
31 ϕ 6

1/4 Section Corner F.D. S.S. with Washer
Flush on Pavement.

OID Ties see Bk. 49 V, Pg 55

FIELD BOOK
500-J



T4NR6E

31 | 32
6 | 5

T3NR6E

SECTION CORNER FD. S.S. WITH WASHER
FLUSH ON PAVEMENT

OLD TIES SEE BK 49 A, Pg. 31
F.S. Vol 7 Pg 56
BK 49 V, Pg 5

FIELD BOOK
500-J



T4NR6E

32 / 5

T3NR6E

1/4 SECTION CORNER FD. I SPIKE 2" BELOW SURFACE.

OLD TIES SEE BK 49 V, Pg. 54

FIELD BOOK

500-J



T4NR6E

33

1

4

T3NR6E

1/4 SECTION CORNER FD. R.R. SPIKE
2" DEEP BELOW SURFACE

SET 1"X24" I PIN WITH WELDED
WASHER ON SURFACE END 8-22-56
REFER BK. 49 V, Pg. 51

FIELD BOOK

500-J



T4NR6E

33 | 34
4 | 3

T3NR6E

SECTION CORNER FD 1"x 2" PIN WITH WELDED WASHER ON SURFACE OF PAVEMENT.

OLD TIES FOUND BOLT & WASHER.
F.B. 49 A Pg. 51
F.B. 39 Pg. 62
F.B. VOL 7 Pg. 309
F.B. 49 V Pg. 7

FIELD BOOK
500-J



17 & 16
T4NR6E

1/4 Section Corner F.D. S. Spike 12"
Below Asphalt pavement.

OID Ties see BK 49V, Pg. 58
BK 500 A Pg. 74

FIELD BOOK
500-J

TIES DAVIS ROAD P. 12



T4NR6E
20 | 21

1/4 SECTION CORNER FD. S.J. CO. L.S. 2239

OID TIES FD. IRON PIN LOWERED
14" & SET 2X2 HUB OVER & TACK
DATE 4-1-54
F.S. VOL. 7 Pg 16

FIELD BOOK
500 J



T4NR6E

20 | 21
29 | 28

Section Corner FD 1" RD. Headed Bolt flush on Top.

Set 1" RD. HD. Bolt & 2" Iron Pipe Dated 8-14-39
BK 49 H Pg. 3

FIELD BOOK
500-J



T4NR6E

29 | 28

1/4 SECTION CORNER FD. S.J. CO. L.S.
2239 ON SURFACE of PAVEMENT.

SET R.R. SPIKE BK 49 E Pg 41
SET R.E. 104 -14" DEEP &
BOLT & WASHER OVER.
BK 49 V - pg 21 DATED 12-28-53

FIELD BOOK
500. J



T4NR6E
32 | 33

1/4 SECTION CORNER FD IRON PIN OVER

SET IRON PIN LOWERED 18" DEEP
SET 2" X 2" OVER DATED 3-31-54
BK 49 A, Pg. 49
BK 49 V, Pg. 33

FIELD BOOK
500-J



T4NR6E

32	33
5	4

T3NR6E

FIELD BOOK

500-J

SECTION CORNER FD. 3/4" ϕ IRON PIN WITH NOT ON TOP.

SET BOLT & WASHER, LOWERED TO 18" DEEP, SET 2" X 2" OVER

DATED 5-31-54

REFER F.B. 73 pg 40

F.S. Vol. 5 Pg 417

F.S. Vol. 7 Pg 309

BK 49 V Pg 6

New Ties - See pg. 65 This Book



T4NR6E
5 | 4
T3NR6E

1/4 SECTION CORNER FD. IRON SPIKE
ON THE SURFACE OF PAVEMENT.

New Ties - see pg 64
This Book

FIELD BOOK
500-J



~~T4NR6E~~
8 + 9
T3NR6E

1/4 SECTION CORNER F.D. BOLT & WASHER
ON SURFACE OF ASPHALT PAVEMENT.

FIELD BOOK
500-J



T6NR7E T5NR8E

25	30
36	31

SECTION CORNER FD. 2"x2" HUB & TACK

SET ROUND HEADED BOLT 18"
BELOW SURFACE.
REFER BK 49E pg 26.
BK 49 4 pg. 35

FIELD BOOK
500-J



T5NR8E

30	29
31	32

SECTION CORNER FD. I. PIN ON SURFACE
of PAVEMENT.

OID TIES SEE BK. 49E, Pg. 12
BK. 49U Pg. 37

FIELD BOOK
500-J



T6NR8E

3

T4NR8E

1/4 SECTION CORNER FD. BOLT & WASHER
ON SURFACE OF PAVEMENT.

SET BOLT & WASHER, BK 49E Pg 39
PLACED 1" ROUND IRON PIN 21" LONG
18" BELOW SURFACE OF ROAD
RESET BOLT & WASHER TO SURFACE
AT PRESENT ROAD
BK 49 U, Pg 39

FIELD BOOK
100-J



T4NR8E

$\frac{3}{10}$

1/4 SECTION CORNER FD. IRON SPIKE 3" BELOW THE PAVEMENT.

FD BOLT & WASHER FIELD BOOK 49 E, Pg 37, LOWERED CORNER 18" AND PLACED 2" X 2" HUB WITH TACK TO SURFACE

SEE BK. 49 u. PAGE 41

FIELD BOOK
500-J



T4NR7E

SEC 23

CENTER OF SECTION ON F.S. 15-138
FD. R.R. SPIKE 18" BELOW THE
PAVEMENT

REFER BK. 500B Pg. 64

FIELD BOOK
500-J



5 | 4
8 | 9

T3N R6E

SECTION CORNER FD. BOLT & WASHER 2"
BELOW SURFACE OF PAVEMENT

OLD TIES SEE BK. 49 A pg 33

FIELD BOOK
500-J



T3NR2E | 4 | 9 | 3 | 10 | T4NR2E

SECTION CORNER FD. BOLT & WASHER ON SURFACE OF PAVEMENT.

OLD TIES SEE BK. 49A Pg 35

FIELD BOOK

500-J